

Date: 18 August 2021

Data Sheet Number: PSDI TNA_Family Revision: 1

SECTION 1 – Product Identification

This 'Product Safety Data Information' Sheet covers Pall Medical TNA product variants

Product name(s): PALL **Total Nutrient Admixture** filters

Part Number(s): See appendix 1

The filters detailed above are air-eliminating filter sets for patient protection only and for removal of particles and microorganisms in lipid-containing nutritional IV administration

For further information on Pall products, please visit Pall at https://www.pall.com/en/about-pall.html

SECTION 2 - Hazards Identification

Product definition: Article.

These products are not classified as hazardous according to REACH Regulation 1907/2006, or European CLP/GHS Regulation 1272/2008.

GHS Signal word: No signal word.

Hazard statements: No known significant effects or critical hazards.

Special packaging requirements: None.

SECTION 3 - Materials of Construction

3.1 The filters detailed in Section 1 are comprised of the following materials:

Material Name	Product codes	CAS Number
Modified acrylic copolymer housings	TNA1, TNA1E, 100- 0309, TNA2E	Supplier proprietary information
Polyethersulfone main membrane	TNA2E	Pall proprietary information
Nylon main membrane	TNA1, TNA1E, 100-0309	Pall proprietary information
Black Ink	TNA1, TNA1E, 100-0309	Pall proprietary information

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

Page 1 of 11



Date: 18 August 2021

Data Sheet Number: PSDI TNA_F	Family	Revision: 1
-------------------------------	--------	-------------

	Baia Griedi Hai	indentification of the second
Polytetrafluoroethylene (PTFE) vent membrane	TNA1, TNA1E, 100- 0309, TNA2E	9002-84-0
Polyester vent membrane non-woven support	TNA1, TNA1E, 100- 0309, TNA2E	25038-59-9
DEHP free PVC tubing	TNA1, TNA1E, TNA2E	9002-86-2
MABS male luer connector	TNA1, TNA1E, TNA2E	9010-94-0
PVC female luer connector	TNA2E	9002-86-2
Orange polyethylene copolymer cap on male luer	TNA1, TNA1E, TNA2E	25213-02-9
Polyethylene slide clamp	TNA2E	9002-88-4
Acrylonitrile-butadiene-styrene copolymer (ABS) cap on female luer	TNA1, TNA1E, TNA2E	9003-56-9

These products are not known to contain BADGE, NOGE, or BFDGE.

Trace additives will be present in the plastic components.

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the article.

There are no current SVHC substances known to be present in the finished articles above 0.1%.

There are no current ROHS2 Directive (2011/65/EU) and amendment (2015/863) substances of concern (including Lead, Cadmium, Mercury, Hexavalent Chromium, Polybrominated biphenyl (PBB), Polybrominated diphenyl ether (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Benzyl Butyl Phthalate (BBP), Dibutyl phthalate (DBP) and Di-isobutyl phthalate (DIBP)) known to be present in the materials employed in excess of the limits laid down, based on information from our suppliers and knowledge of substances used within Pall the manufacturing facility.

Pall Medical filters do not employ natural rubber latex, or latex derivatives in their construction.

Pall Medical products do not knowingly contain materials of direct animal origin i.e. animal parts, tissues, or body fluids however, to assist our customers in performing a TSE/BSE risk assessment, we are pleased to provide the following information:

Certain plastics are known to contain trace levels of additive (e.g. calcium stearate) which are manufactured from tallow. Pall Medical products may utilize components in the fluid pathway which are fabricated from plastic resins containing tallow-derived additives at trace levels, but Pall does not test for them.

Please be advised that bovine tallow-derived additives are not considered specified TSE/BSE risk materials according to the current revision of the U.S. **Code of Federal Regulations**, Title 21 of part 189.5, which defines specified risk material for human food and Regulation (EU) 722/2012 concerning medical devices manufactured using tissues of animal origin, in Article 4, specifically excludes tallow derivatives provided they have been processed under conditions at least as rigorous as those stated in Section 3 of Annex 1 as shown below:

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

Page 2 of 11



Date: 18 August 2021

Data Sheet Number: PSDI TNA_Family Revision: 1

- Trans-esterification or hydrolysis at not less than 200 °C for not less than 20 minutes under pressure (glycerol, fatty acids and fatty acid esters production),
- Saponification with NaOH 12 M (glycerol and soap production)
- Batch process: at not less than 95 ℃ for not less than 3 hours,
- Continuous process: at not less than 140 °C, under pressure for not less than 8 minutes or equivalent,
- Distillation at 200 ℃.

The plastics raw materials we purchase have been processed with one of these steps. Pall continuously works to assure the safety of our products with respect to potential BSE/TSE transmission by working through our supply chain to obtain information regarding the possible use of animal-based material and to confirm specific sourcing and processing details where applicable

SECTION 4 - First Aid Measures

4.1 First aid measures

Always address any contaminants present on the filter as the result of use.

Eye Contact: Eye injury could result from physical impact. Get medical attention

immediately.

Inhalation: Inhalation is not considered a likely route of exposure for the filter product as

supplied by Pall.

Skin Contact: Wash with soap and water. If irritation persists, get medical attention.

Ingestion: This material is not intended for ingestion and is not expected to present an

ingestion hazard in the form and quantities present in a work-place setting.

However, if ingestion occurs, seek medical attention.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable

training.

4.2 Key symptoms and effects

No known significant effects or critical hazards related to the materials of construction of the filter as supplied.

SECTION 5 - Fire Fighting Measures

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

Page 3 of 11



Date: 18 August 2021

Data Sheet Number: PSDI TNA Family Revision: 1

5.1 Extinguishing media

Select an extinguish medium suitable for surrounding / working environment.

For filter set alone use dry chemical, CO2, water spray (fog) or foam.

5.2 Specific Hazards

Warning: Combustion products of PTFE (fluoropolymers) can be released and be hazardous to humans and the environment.

Hazardous thermal decomposition products: CO, CO₂, acrid smoke, SO_x, Benzenesulfonic acid, 2(or 4) methyl- phenol, ketones, aldehydes, hydrogen chloride, benzene, unsaturated hydrocarbons, hydrogen cyanide, organic acids, inorganic oxides, formaldehyde, cyclic low molecular weight oligomers **Warning:** thermal decomposition of PTFE can also produce fume particles and various toxic gases including hydrofluoric acid and carbonyl fluoride.

Polymer fume fever – chills, nausea, shortness of breath, chest tightness, muscle or joint ache – seek immediate medical attention.

Irritation to eyes. - suitable PPE and breathing apparatus precautions should be taken related to this risk in the event of fire.

5.3 Advice to Fire Fighters

Special precaution required. Fire-fighters should wear appropriate protective equipment, including self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Protective gloves must be worn when handling debris after a fire, due to PTFE thermal decomposition risks.

SECTION 6 - Accidental Release Measures

Warning: Do NOT incinerate without additional consideration of risk emissions and residues resulting from combustion of PTFE

6.1 Personal precautions, protective equipment and emergency procedures

No special measures are required in respect of the filters in the unused condition as supplied.

For used filters always address any contaminants present on the filter as the result of use.

6.2 Environmental precautions

For unused filter modules, place in designated waste container appropriate to the materials of construction listed in Section 3 and dispose of in accordance with local regulations via a licenced waste disposal contractor.

For used filter modules, using clear-up, containment and appropriate PPE measures related to the product being filtered and the materials of construction detailed in Section 3.

6.3 Spillage containment and cleaning up

Use suitable equipment to collect the filter material and place in a designated, labelled waste container.

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

Page 4 of 11



Date: 18 August 2021

Data Sheet Number: PSDI TNA_Family Revision: 1

Care should be taken to consider the nature of any contamination on the filter as the result of use and suitable PPE employed for handling medical waste.

Dispose of waste via a licensed waste disposal contractor.

SECTION 7 – Handling and Storage

7.1 Handling

Put on appropriate personal protective equipment for the working environment (See Section 8). Consult details of product being filtered for specific advice. Avoid activities that can damage the filter.

Follow good hygiene practices. Eating, drinking and smoking are generally prohibited in areas where this product is handled, stored or processed – exceptions are made on the guidance of local medical advice. Staff must follow standard work-place hygiene before eating, drinking or smoking after using this product. Wear gloves to prevent contamination of the filter cartridge and maintain cleanliness of the unused filter.

7.2 Storage

In the received condition, special protective equipment is not needed during handling and normal use of these filters. However, gloves are recommended to prevent contamination of the filter and maintain cleanliness. Handling of used filters must take into account the nature of potential contaminants.

The article is supplied dry, without the presence of any preserving fluid. Store in clean, dry conditions suitable for a medical device.

Handle with care to avoid damage.

Do not expose to direct sunlight during storage, or other radiation or direct weather conditions. Store in original shipping bag or boxing.

Ensure careful handling to avoid physical damage. Ensure shipping bag and seals are intact prior to use - do not use if damaged.

Please also consult Pall for further instructions for use information on the product prior to use.

SECTION 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Occupational Exposure limits: None required.

Recommended monitoring procedures: None required

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

Page 5 of 11



Date: 18 August 2021

Data Sheet Number: PSDI TNA Family Revision: 1

8.2 Exposure controls

There are no special ventilation requirements for the article as supplied in the new and unused condition.

Hygiene Measures: No special measures required. Good hygiene practice in line with

local working environmental requirements and medical guidelines.

Hand protection: Disposable gloves are recommended to ensure filter remains clean

during installation.

Environmental Exposure Controls: Not normally required for the filter itself as supplied.

After the filter has been used additional exposure controls care should be taken in line with the nature of any contaminant on the filter as a result of its use.

SECTION 9 - Physical and Chemical Properties

Appearance: Disposable filter/filter set

Physical state: Solid

Colour: Various

Solubility: All components Insoluble in water. Acrylic components readily

soluble in esters, ketones and chlorinated hydrocarbons

Auto-ignition temperature: Acrylic: 440 °C (830 °F), decomposition begins at

250 °C (482°F)

PTFE; 520° - 560 °C, thermal decomposition >300 °C

Polyester: 432 to 488 ℃

PES components: 580 °- 600 °C, thermal decomposition >400 °C

Nylon components: Not determined

Ink: Not determined

ABS: 416 ℃

Polyethylene: 349 ℃

Polyethylene copolymer: Not determined

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

Page 6 of 11



Date: 18 August 2021

Data Sheet Number: PSDI TNA_Family Revision: 1

PVC: 435 to 557 ℃

Sensitive to shock: Mechanical / thermal shock can result in damage to the filter

SECTION 10 – Stability and Reactivity

Reactivity: The filter is stable under the recommended conditions of use and storage.

Chemical Stability: The filter is stable under recommended conditions of use and storage.

Hazardous Polymerisation: Polymerisation will not occur under recommended conditions of use and

storage.

Other hazardous reactions: Consult details of product being filtered for specific advice. Under normal

conditions of storage and use, no hazardous reactions will occur.

Conditions to Avoid: Avoid hot surfaces or other conditions that soften, swell or adversely affect

the filter or its materials of construction. Do not allow fluids to freeze on the

filter

Incompatible Materials: Strong Acids, alkalis and oxidising Agents (e.g. Perchloric Acid, nitric acid),

alkali metals, strong alkalis and reducing agents, organic acids

Decomposition Products: Under recommended conditions of use or storage, no hazardous

decomposition products will be produced.

SECTION 11 - Toxicological Information

The information in this section contains generic advice and guidance in respect of the unused filter as supplied. Consult SDS details of the product being filtered for specific advice and recommendations.

11.1 Acute Toxicity

Based on typical information for the material type named, this information has not been determined specifically for Pall Medical filters

Mutagenicity / Carcinogenicity / Reproductive Toxicity / Teratogenicity: No known concern for the materials of construction of the filter as supplied (new and unused)

Aspiration Hazard: Not applicable for un-used filter.

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

Page 7 of 11



Date: 18 August 2021

Data Sheet Number: PSDI TNA Family Revision: 1

Potential acute health effects: No known significant effects or critical hazards for the unused filter as

supplied.

11.2 Chronic health effects

No known significant effects or critical hazards for the unused filter as supplied.

Carcinogenicity: No specific test data available, no evidence for hazardous properties

SECTION 12 - Ecological Information

Pall Medical filters are not expected to degrade in contact with soil or water under ambient conditions.

SECTION 13 - Disposal Information

The information in this section contains generic advice and guidance.

Product

Methods of disposal:

Unused as supplied filters: Disposal/handling of the un-used filters should be in-line with national legislation and local regulatory requirements for the materials present. Unused filters may be used as land-fill.

Warning: Do NOT incinerate unused filters with general waste, as combustion products of PTFE (fluoropolymers) can be released and be hazardous to humans and the environment.

Hazardous Waste: To the best of our knowledge, this product if unused is not regarded as hazardous waste as defined by the EU Directive 91/689/EEC and amendments.

Used filters should be disposed of as clinical waste due to the nature of the contaminants on the filters as a result of use. Therefore, used filters may be classified as hazardous – clinical waste.

Packaging

Bagging: Plastic (polyethylene/polyester) or polyethylene for 100-0309

Box: Cardboard

The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled where suitable arrangements and facilities exist. Incineration or landfill should only be considered where re-cycling is not feasible.

SECTION 14 - Transport Information

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

Page 8 of 11



Date: 18 August 2021

Data Sheet Number: PSDI TNA Family Revision: 1

The clean and un-used filter, supplied in its original packaging, is not classified as dangerous goods under ADR, RID, IMDG or IATA regulations.

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above Pall Corporation, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any materials is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

"Pall" is a trademark of the Pall Corporation

- ® indicates a trademark registered in the USA
- © Pall Corporation, 2021

APPENDIX 1

TNA1E	PALL Lipipor™ NEO Filter- with microbore tubing, clamp and luer connectors (50 units per
	case)
TNA1	PALL Lipipor™ NLF Filter- with microbore tubing, clamp and luer connectors (50 units per case)
TNA2E	PALL Lipipor™ NLF Filter- with luer connectors (50 units per case)
100-0309	PALL Lipipor™ NEO Filter bulk filter (500 per box)

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

Page 9 of 11