

DFT KK Series Filter Cartridges

Large Diameter String Wound Filter Cartridges

- Polypropylene fiber
- Removal ratings from 0.5 to 25 µm
- Available in 25.1 cm (9.875 in) and 50.8 cm (20 in) lengths
- High contaminant-holding capacity
- Manufactured under ISO 9001 quality system

Performance Specifications

Filter grades

0.5, 1, 5, 10, 25 µm

Maximum differential pressure

1.0 bard @ 74°C (15 psid @ 165°F)

Food and water contact use

Please contact Pall Corporation to verify that the product conforms to your national legislation and/or regional regulatory requirements for water and food contact use.

Product Specifications

Materials of construction

Filter media: Polypropylene


Core: Polypropylene

Dimensions (nominal)


Outside diameter: 11.3 cm (4.438 in)

Inside diameter: 2.8 cm (1.09 in)

Lengths: 25.1 cm (9.875 in), 50.8 cm (20 in)



Typical Flow vs. Differential Pressure for Application Sizing



Unit conversion: 1 bar = 100 kpa

Flow rate is for a 25.4 cm (10 in) element. For liquids other than water, multiply differential pressure by fluid viscosity (cP).

Ordering Information

Pall Part Number = U KK

Table 1

Code	Filter grades μm
0.5	0.5
001	1.0
005	5.0
010	10
025	25

Table 2

Code	Cartridge lengths (cm/in) nominal
9.875	25.1/9.875
20	50.8/20



Pall Corporation

25 Harbor Park Drive
 Port Washington, NY 11050
 +1 516 484 3600 telephone
 +1 800 289 7255 toll free US

Visit us on the Web at www.pall.com

Pall Corporation has offices and plants throughout the world. For Pall representatives in your area, please go to www.pall.com/contact

Please contact Pall Corporation to verify that the product conforms to your national legislation and/or regional regulatory requirements for water and food contact use.

Because of technological developments related to the products, systems, and/or services described herein, the data and procedures are subject to change without notice. Please consult your Pall representative or visit www.pall.com to verify that this information remains valid.

© Copyright 2004, 2011, Pall Corporation. Pall and are trademarks of Pall Corporation. ® indicates a trademark registered in the USA. Filtration. Separation. Solution.SM is a service mark of Pall Corporation.