

DECLARATION OF COMPLIANCE

Pall® Bag Filters

HP Series (Molded Collar)

Bag Part Number

1 PO HP W

Table 1
Table 2
Table 3
Table 4

This is a guide to part numbering structure only. For specific options, please contact Pall.

Table 1 : Type of Molded Collar

Code	Description
DP	Polypropylene Collar for Cofipore® housings
AMP	HDPE Collar for other housings

Table 3 : Nominal Size

Code	Description	
	Length (mm)	Volume (L)
10	450	11.4
20	820	20.6

Table 2 : Bag Shape

Code	Description
Blank	"U" shaped bag (Standard)
W	"W" shaped bag

Table 4 : Removal Rating

Code	Description	Efficiency Range
A	5 - 20 µm	85 – 99.9 %
B	1 - 10 µm	75 – 99 %
C	10 - 50 µm	70 – 99.9 %

This product comprises a melt blown polypropylene filter bag supported by a high density polyethylene (HDPE) or polypropylene molded collar.

The Pall HP Series filter bag with molded collar is suitable for the filtration of compatible aqueous and alcoholic solutions, including spirits and fatty matter, which do not soften, swell or adversely affect the product or its materials of construction in any way.

An initial flush is recommended prior to use.

Issued 1 July 2010
 Revised 25 January 2021
 Expires 28 February 2023
 Reference FBDCHPMCENi
 Page 1 of 3



Magda Sofia Luis De Melo Parise
 Supplier Quality Manager
 Pall Europe, Ltd.

Pall Bag Filters (HP Series)

Components

Filter Media	Melt Blown Polypropylene
Stitching	Polypropylene
Support Ring	High Density Polyethylene (HDPE) or Polypropylene

Declaration

The Pall HP Series filter bag with molded collar comprises materials that meet regulatory and legislative requirements and guidelines for food contact in that:

Europe

The manufacturer states that the HP melt blown polypropylene filter bag with molded collar meets the requirements for food contact as detailed in European Regulation (EC) Number 1935/2004 in that:

The manufacturer states that the polypropylene and HDPE materials used to produce the HP polypropylene filter bag with molded collar meets the requirements in EU Regulation (EC) Number 10/2011, including its amendments, relating to plastic materials and articles intended to come into contact with foodstuffs, for filtration of aqueous and alcoholic solutions, including spirits and fatty matter, after flushing and in flow conditions.

Overall migration testing of the HP melt blown polypropylene filter bag with molded collar was conducted by the manufacturer as follows:

3% acetic acid for 30 minutes at 100 °C (212 °F)

50% ethanol for 30 minutes at 83 °C (181 °F)

In addition, migration testing was also performed in:

95% ethanol for 2 hours at 60 °C (140 °F)

Isooctane for 30 minutes at 60 °C (140 °F)

USA

The materials of construction meet the FDA requirements for food contact use as detailed in Code of Federal Regulations, 21 CFR paragraphs 170-199 in that:

- High Density Polyethylene (HDPE) and Polypropylene to 21 CFR section 177.1520 (Olefin polymers)

Process Quality System

Country of Manufacture: France

These products are made under a Quality Management System certified to ISO9001:2015.

These products / product packaging carry a lot number / date code to facilitate traceability to suppliers' materials and production records.

Supplied in Europe by

Pall International Sàrl
Av. De Tivoli 3
Fribourg
Switzerland
CH-1700


**Pall Food and Beverage**

New York - USA
+1 516 484 3600 telephone
+1 866 905 7255 toll free
foodandbeverage@pall.com

Visit us on the web at www.pall.com

Pall Corporation has offices throughout the world. For Pall representatives in your area, please go to www.pall.com/contact.

Because of developments related to products, systems and/or services described herein, the data and procedures are subject to change without notice. Please consult your Pall representative or visit www.pall.com to verify that this information remains valid.

© Copyright 2021, Pall Corporation. Pall and  are trademarks of Pall Corporation. *Cofipore is a registered trademark of Filtration S.A.S.U. ® indicates a trademark registered in the USA.