

DECLARATION OF COMPLIANCE Membralox® Ceramic Membranes

Part Numbers

**EP1 (P1940), EP2 (P1960), EP3 (P3730), EP4 (P3740), EP5 (P4840), EP6 (P2760)
EC3 (C1935), EC4 (C0760)**

Membralox ceramic elements comprise asymmetric multi-channel membranes composed of a porous high purity alpha-alumina support and filtering layer(s).

The patented alpha-Alumina end-sealing, sintered into the support porosity, provides superior resistance to corrosion and cleaning cycles while preventing any filtering layer by-pass through element end faces support structure.

The filtering layer(s), cast onto the inner surface of the lumens and sintered, employ Alumina or Zirconia depending on rating:

Microfiltration (MF)	0.1, 0.2, 0.5, 0.8, 1.4, 2, 5 micron	Alpha-Alumina
Ultrafiltration (UF)	10, 20, 50, 100 nm	Zirconia

Membralox GP membranes have a sintered support structure modification made of high purity alpha-Alumina that creates a permeability gradient along the length of the element.

These membranes benefit from the same features of the other standard Membralox membranes.

An initial flush is recommended prior to use.

Issued	1 March 2011
Revised	22 January 2021
Expires	28 February 2023
Reference	FBDCMEMLOXENf
Page	1 of 3



Frédéric Daban
Quality Manager
Pall Exekia

Membralox Ceramic Membranes

Components

Support and End-seal		α -Alumina (α -Al ₂ O ₃)
Standard layers	MF	α -Alumina (α -Al ₂ O ₃)
	UF	Zirconia (ZrO ₂)

Declaration

Membralox ceramic membranes comprise of materials that meet regulatory and legislative requirements and guidelines for food contact in that:

Europe

Membralox ceramic membranes meet the requirements for food contact as detailed in European Regulation (EC) Number 1935/2004 in that:

- The materials of construction comply with European Commission Directive number 2005/31/EC relating to ceramics, in relation to lead and cadmium leachables testing in 4 % acetic acid at 22 °C for 24 hours.
- Membralox ceramic materials of construction are approved for drinking water filtration under French Health Minister directive dg5/vs4 2000 -166 March 28, 2000 in annex 1, §II list B.

People's Republic of China

Membralox ceramic membranes meet the requirements for food contact as detailed in Chinese standard Number GB 4806.4-2016

USA

The materials of construction are listed in the FDA requirements for food contact use as detailed in Code of Federal Regulations, 21 CFR paragraphs 170-199 in that:

- Zirconia layers on Alumina support are listed in 21 CFR 177.2910 (Ultrafiltration membranes).
- Membralox crossflow membrane modules, model type SD and HCS conform to 3-A Sanitary Standards (section 45-02, authorization 1187).

Process Quality System

Site of Manufacture: Pall Exekia, Bazet, France

The Quality Management System at Pall Exekia, Bazet, is certified to ISO 9001:2015.

These products / product packaging carry a lot number / date code to facilitate traceability to suppliers' materials and Pall production records.

Pall Exekia, Bazet confirms that the product is manufactured in line with the principles of food contact materials GMP as detailed in Regulation 2023/2006

Users should satisfy themselves that these materials are suitable for use in their specific food application.

Supplied in Europe by

Pall Exekia
BP1 Route d'Oursbelille
Bazet, France 65460


**Pall Food and Beverage**

New York - USA
+1 516 484 3600 telephone
+1 866 905 7255 toll free
foodandbeverage@pall.com

Visit us on the web at www.pall.com

Pall Corporation has offices throughout the world. For Pall representatives in your area, please go to www.pall.com/contact.

Because of developments related to products, systems and/or services described herein, the data and procedures are subject to change without notice. Please consult your Pall representative or visit www.pall.com to verify that this information remains valid.

© Copyright 2021, Pall Corporation. Membralox, Pall and  are trademarks of Pall Corporation. ® indicates a trademark registered in the USA.